




600x600mm & 600x1200mm
[15mm Thickness]
Digital Fullbody Tiles


MASTER
COLLECTION '24

INTRODUCING
THE RIVERS OF
BHARAT





DIGITAL PRINTING TECHNOLOGY



VALENCIA
— SUPPLY —

Product Features

Digital Full body tiles are designed to offer top-tier performance with low water absorption, making them ideal for wet areas and high-traffic zones.




**WATER
ABSORPTION**
≤0.05%



**HIGH
STRENGTH**



**MAINTENANCE
FREE**



**CHEMICAL
RESISTANCE**



**ABRASION
RESISTANCE**

Product Applications

Its Toughness And Grit Make It The Optimum Choice For High-traffic Areas Where It Show Its Endurance Along With Its Majestic Looks.



**FLOOR
APPLICATION**



**FACADE &
WALL**



**OUTDOOR &
SIT OUT AREA**



**SWIMMING
POOL
BORDER**




**GARDEN &
PATHWAY**

**MASTER
COLLECTION '24**



▼ 15MM
Thickness

DIGITAL FULLBODY TILES



Size
600x
1200mm



Size
600x
600mm

We Deliver Exciting Size Tiles In
Two Variants With Punch Effects
On Digital Print.



VALENCIA
— SUPPLY —

PRODUCT COLLECTION RANGE:-

01

INDUS
SERIES

02

Godavari
SERIES

03

core
SERIES

MASTER
COLLECTION '24

The logo for the INDUS SERIES. The word "INDUS" is in a bold, white, sans-serif font, with a small orange vertical bar to the left of the letter "D". Below "INDUS" is the word "SERIES" in a smaller, white, sans-serif font. The background of the entire image consists of four diagonal stripes of different colors and textures: light beige, grey, dark grey, and dark brown.

INDUS

SERIES


600X600MM & 600X1200MM
[15MM THICKNESS]
DIGITAL FULLBODY

INDUS
APRICOT

INDUS APRICOT



600x1200mm
RANDOM - 9 FACES



600x600mm
RANDOM - 13 FACES

RANDOM - 9 FACES



Size 600x1200mm | Finish Rustic | Thickness 15mm

FEATURES

				
WATER ABSORPTION <0.05%	HIGH STRENGHT	MAINTENANCE FREE	CHEMICAL RESISTANCE	ABRASION RESISTANCE

RANDOM - 13 FACES



Size
600x600mm

Finish
Rustic

Thickness
15mm

FEATURES



WATER
ABSORPTION
<0.05%



HIGH
STRENGHT



MAINTENANCE
FREE



CHEMICAL
RESISTANCE




ABRASION
RESISTANCE

15MM
Thickness



**DIGITAL
FULLBODY TILES**



Size
**600x
1200mm**



Size
**600x
600mm**

COLLECTION '24

INDUS
SERIES




Preview of_
INDUS APRICOT

INDUS
DOLPHIN

INDUS DOLPHIN




600x1200mm
RANDOM - 9 FACES



600x600mm
RANDOM - 13 FACES

RANDOM - 9 FACES



Size 600x1200mm | Finish Rustic | Thickness 15mm

FEATURES

				
WATER ABSORPTION <0.05%	HIGH STRENGHT	MAINTENANCE FREE	CHEMICAL RESISTANCE	ABRASION RESISTANCE

RANDOM - 13 FACES



Size
600x600mm

Finish
Rustic

Thickness
15mm

FEATURES



WATER
ABSORPTION
<0.05%



HIGH
STRENGHT



MAINTENANCE
FREE




CHEMICAL
RESISTANCE




ABRASION
RESISTANCE

15MM
Thickness

**DIGITAL
FULLBODY TILES**



Size
**600x
1200mm**



Size
**600x
600mm**

COLLECTION '24

INDUS
SERIES




Preview of _
INDUS DOLPHIN

INDUS
GRAPHITE

INDUS GRAPHITE




600x1200mm
RANDOM - 9 FACES



600x600mm
RANDOM - 13 FACES

RANDOM - 9 FACES



Size 600x1200mm | Finish Rustic | Thickness 15mm

FEATURES

				
WATER ABSORPTION <0.05%	HIGH STRENGHT	MAINTENANCE FREE	CHEMICAL RESISTANCE	ABRASION RESISTANCE

RANDOM - 13 FACES



Size
600x600mm

Finish
Rustic

Thickness
15mm

FEATURES



WATER
ABSORPTION
<0.05%



HIGH
STRENGHT



MAINTENANCE
FREE



CHEMICAL
RESISTANCE




ABRASION
RESISTANCE

digital
fullbody

15MM
Thickness



DIGITAL
FULLBODY TILES



COLLECTION '24

INDUS
SERIES



Preview of
INDUS GRAPHITE




INDUS TERRAIN

INDUS TERRAIN



600x1200mm
RANDOM - 9 FACES



600x600mm
RANDOM - 13 FACES

RANDOM - 9 FACES



Size 600x1200mm | Finish Rustic | Thickness 15mm

FEATURES

				
WATER ABSORPTION <0.05%	HIGH STRENGHT	MAINTENANCE FREE	CHEMICAL RESISTANCE	ABRASION RESISTANCE

RANDOM - 13 FACES




Size 600x600mm | Finish Rustic | Thickness 15mm


FEATURES

- | | | | | |
|---|---|--|---|---|
| 
WATER
ABSORPTION
<0.05% | 
HIGH
STRENGHT | 
MAINTENANCE
FREE | 
CHEMICAL
RESISTANCE | 
ABRASION
RESISTANCE |
|---|---|--|---|---|


15MM
Thickness



DIGITAL
FULLBODY TILES



Size
600x
1200mm



Size
600x
600mm

COLLECTION '24

INDUS
SERIES



Preview of _
INDUS TERRAIN

The image shows two large rectangular tiles with a natural stone texture. The top-left tile is a warm, earthy brown color, while the bottom-right tile is a dark, charcoal grey color. A thick black diagonal line runs from the bottom-left corner to the top-right corner, separating the two tiles. The text 'Godavari' is written in a large, white, sans-serif font, with a small orange horizontal bar to the left of the 'G'. Below it, the word 'SERIES' is written in a smaller, white, sans-serif font.

Godavari

SERIES

600X600MM & 600X1200MM
[15MM THICKNESS]
DIGITAL FULLBODY



GODAVARI
TAN

GODAVARI TAN




600x1200mm
RANDOM - ∞ FACES



600x600mm
RANDOM - ∞ FACES

RANDOM - ∞ FACES



Size
600x1200mm

Finish
Rustic

Thickness
15mm

FEATURES



WATER
ABSORPTION
<0.05%



HIGH
STRENGHT



MAINTENANCE
FREE




CHEMICAL
RESISTANCE



ABRASION
RESISTANCE

RANDOM - ∞ FACES




Size	Finish	Thickness
600x600mm	Rustic	15mm

FEATURES

- | | | | | |
|---|---|--|---|---|
| 
WATER
ABSORPTION
<0.05% | 
HIGH
STRENGHT | 
MAINTENANCE
FREE | 
CHEMICAL
RESISTANCE | 
ABRASION
RESISTANCE |
|---|---|--|---|---|

15MM
Thickness

DIGITAL
FULLBODY TILES



Size
600x
1200mm



Size
600x
600mm

COLLECTION '24

Godavari
SERIES



Preview of
GODAVARI TAN



GODAVARI TERRAIN

GODAVARI TERRAIN




600x1200mm
RANDOM - ∞ FACES



600x600mm
RANDOM - ∞ FACES

RANDOM - ∞ FACES




Size 600x1200mm	Finish Rustic	Thickness 15mm
--------------------	------------------	-------------------

FEATURES

				
WATER ABSORPTION <0.05%	HIGH STRENGHT	MAINTENANCE FREE	CHEMICAL RESISTANCE	ABRASION RESISTANCE

RANDOM - ∞ FACES



Size	Finish	Thickness
600x600mm	Rustic	15mm

FEATURES

				
WATER ABSORPTION <0.05%	HIGH STRENGHT	MAINTENANCE FREE	CHEMICAL RESISTANCE	ABRASION RESISTANCE

15MM
Thickness

DIGITAL
FULLBODY TILES

Size
600x
1200mm

Size
600x
600mm

COLLECTION '24

Godavari
SERIES



Preview of_
GODAVARI TERRAIN

core
SERIES

600X600MM & 600X1200MM
[15MM THICKNESS]
DIGITAL FULLBODY

CORE
COOKIE

CORE COOKIE



600x1200mm
RANDOM - ∞ FACES



600x600mm
RANDOM - ∞ FACES

RANDOM - ∞ FACES

core
SERIES



Size 600x1200mm	Finish Rustic	Thickness 15mm
---------------------------	-------------------------	--------------------------

FEATURES

- | | | | | |
|---|---|--|---|---|
| 
WATER
ABSORPTION
<0.05% | 
HIGH
STRENGHT | 
MAINTENANCE
FREE | 
CHEMICAL
RESISTANCE | 
ABRASION
RESISTANCE |
|---|---|--|---|---|

digital
fullbody

RANDOM - ∞ FACES



Size	Finish	Thickness
600x600mm	Rustic	15mm

FEATURES

- | | | | | |
|---|---|--|---|---|
| 
WATER
ABSORPTION
<0.05% | 
HIGH
STRENGHT | 
MAINTENANCE
FREE | 
CHEMICAL
RESISTANCE | 
ABRASION
RESISTANCE |
|---|---|--|---|---|



15MM
Thickness

DIGITAL
FULLBODY TILES



Size
600x
1200mm



Size
600x
600mm

COLLECTION '24

core
SERIES



Preview of
CORE COOKIE

CORE
DOLPHIN

CORE DOLPHIN



600x1200mm
RANDOM - ∞ FACES



600x600mm
RANDOM - ∞ FACES

RANDOM - ∞ FACES

core
SERIES



Size	Finish	Thickness
600x1200mm	Rustic	15mm

FEATURES

- | | | | | |
|---|---|--|---|---|
| 
WATER
ABSORPTION
<0.05% | 
HIGH
STRENGHT | 
MAINTENANCE
FREE | 
CHEMICAL
RESISTANCE | 
ABRASION
RESISTANCE |
|---|---|--|---|---|

digital
fullbody

RANDOM - ∞ FACES



Size
600x600mm

Finish
Rustic

Thickness
15mm

FEATURES



WATER
ABSORPTION
<0.05%



HIGH
STRENGHT



MAINTENANCE
FREE




CHEMICAL
RESISTANCE





ABRASION
RESISTANCE

digital
fullbody

15MM
Thickness



DIGITAL
FULLBODY TILES



COLLECTION '24

core
SERIES



Preview of_
CORE DOLPHIN



CORE
GRAPHITE

CORE GRAPHITE



600x1200mm
RANDOM - ∞ FACES



600x600mm
RANDOM - ∞ FACES

RANDOM - ∞ FACES

core
SERIES




Size 600x1200mm	Finish Rustic	Thickness 15mm
--------------------	------------------	-------------------

FEATURES

- | | | | | |
|---|---|--|---|---|
| 
WATER
ABSORPTION
<0.05% | 
HIGH
STRENGHT | 
MAINTENANCE
FREE | 
CHEMICAL
RESISTANCE | 
ABRASION
RESISTANCE |
|---|---|--|---|---|

digital
fullbody

RANDOM - ∞ FACES



Size	Finish	Thickness
600x600mm	Rustic	15mm



FEATURES

- | | | | | |
|---|---|--|---|---|
| 
WATER
ABSORPTION
<0.05% | 
HIGH
STRENGHT | 
MAINTENANCE
FREE | 
CHEMICAL
RESISTANCE | 
ABRASION
RESISTANCE |
|---|---|--|---|---|

15MM
Thickness



DIGITAL
FULLBODY TILES



COLLECTION '24

core
SERIES



Preview of_
CORE GRAPHITE

CORE
MUSHROOM

CORE MUSHROOM



600x1200mm
RANDOM - ∞ FACES



600x600mm
RANDOM - ∞ FACES

RANDOM - ∞ FACES

core
SERIES



Size 600x1200mm	Finish Rustic	Thickness 15mm
---------------------------	-------------------------	--------------------------

FEATURES

- | | | | | |
|---|---|--|---|---|
| 
WATER
ABSORPTION
<0.05% | 
HIGH
STRENGHT | 
MAINTENANCE
FREE | 
CHEMICAL
RESISTANCE | 
ABRASION
RESISTANCE |
|---|---|--|---|---|

digital
fullbody

RANDOM - ∞ FACES



Size	Finish	Thickness
600x600mm	Rustic	15mm


FEATURES

- | | | | | |
|---|---|--|---|---|
| 
WATER
ABSORPTION
<0.05% | 
HIGH
STRENGHT | 
MAINTENANCE
FREE | 
CHEMICAL
RESISTANCE | 
ABRASION
RESISTANCE |
|---|---|--|---|---|

15MM
Thickness



DIGITAL
FULLBODY TILES



Size
600x
1200mm



Size
600x
600mm

COLLECTION '24

core
SERIES



Preview of_
CORE MUSHROOM



Baltimore, MD, USA 21224

Contact.
(443) 353-9878

Mail.
valenciasupplyusa@gmail.com